NOXLITE LED SPOT 2X8 W GR

NOXLITE LED SPOT | Outdoor LED wall luminaires

- Outdoor
- Garages
- Patios, balconies

Product benefits

- Functional design
- High light output thanks to high-power LED
- Quick and simple installation
- Compact and lightweight

Product features

- Very bright and functional outdoor LED luminaires
- Motion and day/night sensor with time settings from 5 s...10 min
- Type of protection: IP44
- Adjustable (down 70°, left/right 30°)

© 2013, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal wattage	16.00 W
Mains frequency	50…60 Hz
Operating mode	Electronic control gear (ECG)

Light technical data

Color temperature	6000 K
Beam angle	60 °
Luminous flux	860 lm
Color rendering index Ra	› 65

Dimensions & weight

Length	150.0 mm
Width	180.0 mm
Height	90.0 mm

Colors & materials

Body material	Aluminum/Plastic
Product color	Grey
Cover material	Polymethyl methacrylate (PMMA)

Temperatures

Ambient temperature range	-20…+40 °C

Lifespan

Lifespan	30000 h

© 2013, OSRAM GmbH. All rights reserved.

Additional product data

Number of lighting outlets	8
Equipment	LED
Equipped with lamp	Yes

Capabilities

Type of installation	Screws
Adjustable	Yes
Dimmable	No
Type of connection	Fixed (cutting terminal)
Accessories	Screws / Sensor cap / Sensor limitation strip

Certificates & standards

Standards	CE
Protection class	insulation class II (safety insulation)
Type of protection	IP44

© 2013, OSRAM GmbH. All rights reserved.

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321981981	Folding carton box 1	218 mm x 132 mm x 255 mm	847.58 g	7.34 dm³
4008321982018	Shipping carton box 4	285 mm x 305 mm x 457 mm	4115.32 g	39.72 dm³

Packaging image

© 2013, OSRAM GmbH. All rights reserved.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2013, OSRAM GmbH. All rights reserved.